Author Index

ADACHI M. *see* NAORA H.
ALBRECHT S. *see* DECKERT-SCHLÜTER M.
ALTMANN D.M. *see* CHANDLER P.
APPELBERG R. *see* CASTRO A.G.
ARAI T., HIROMATSU K., NISHIMURA H., KIMURA Y., KOBAYASHI N., ISHIDA H., NIMURA Y. & YOSHIKAI Y. Effects of *in vivo* administration of anti-IL-10 monoclonal antibody on the host defence mechanism against murine *Salmonella* infection, 381
ARMANT M., DELESPESSE G. & SARFATI M. IL-2 and IL-7 but not IL-12 protect natural killer cells from death by apoptosis and up-regulate bcl-2 expression, 331
ARNOLD R., KÖNIG B., GALATTI H., WERCHAU H. & KÖNIG W. Cytokine (IL-8, IL-6, TNF-α) and soluble TNF receptor-I release from human peripheral blood mononuclear cells after respiratory syncytial virus infection, 364
ARYA A. *see* THOMSSEN H.
ATHWAL D. *see* STEPHENS S.
AUSTYN J.M. *see* FAIRCHILD P.J.
AVRAMEAS S. *see* SATO M.N.
AZUMA M. *see* FAGNONI F.F.

BANCHEREAU J. *see* SERVET-DELPRAT C.
BARBER K. *see* BARTHOLOMEW M.
BARNES P.J. *see* HACZKU A.
BARTHOLOMEW M., BRETT S., BARBER K., ROSSMAN C., CROWE S. & TITE J. Functional analysis of the effects of a fully humanized anti-CD4 antibody on resting and activated human T cells, 41
BARTON C.H. *see* ROACH T.I.A.
BEBBINGTON C. *see* STEPHENS S.
BECKMANN E. *see* BROWN C.R.
BELISLE J.T. *see* ROBERTS A.D.
BENDTZEN K. *see* NICOLETTI F.
BENNETT P.A., FINAN P.M., DIXON R.J. & KELLIE S. Tyrosine phosphatase antagonist-induced activation of the neutrophil NADPH oxidase: a possible role for protein kinase C, 304
BICKMORE W.A. *see* DAVIES A.
BINNS R.M. *see* LICENCE S.T.
BINNS R.M. *see* TSANG Y.T.M.
BLACKWELL J.M. *see* ROACH T.I.A.
BLANCHARD D. *see* SERVET-DELPRAT C.
BLANKSON J.N., LOH D.Y. & MORSE S.S. Superantigens and conventional antigens induce different responses in αβ T-cell receptor transgenic mice, 57
BODMER M. *see* STEPHENS S.
BOLTZ-NITULESCU G. *see* SPITTLER A.
BOOG C.J.P. *see* HEEMSKERK M.H.M.
BOULARD C. *see* NICOLAS-GAULARD I.
BRAMLEY J.C. *see* DAVIES A.
BRENNAN P.J. *see* ROBERTS A.D.
BRETT S. *see* BARTHOLOMEW M.
BRIDON J.-M. *see* SERVET-DELPRAT C.
BRIÈRE F. *see* SERVET-DELPRAT C.
BRIGHT J.J., KAUSALYA S. & KHAR A. Natural killer cell activation-associated induction of target cell DNA fragmentation in a spontaneously regressing rat histiocytoma, 638
BROSSARD M. *see* GANAPAMO F.
BROWN C.R., HUNTER C.A., ESTES R.G., BECKMANN E., FORMAN J., DAVID C., REMINGTON J.S. & MCCLEOD R. Definitive identification of a gene that confers resistance against *Toxoplasma* cyst burden and encephalitis, 419
CALLANAN J.J. *see* LAWRENCE C.E.
CANNON C.A. *see* FLYNN J.N.
CASTRO A.G., MINÓPRIO P. & APPELBERG R. The relative impact of bacterial virulence and host genetic background on cytokine expression during *Mycobacterium avium* infection of mice, 556
CELLUZZI C.M., LIEM P.L., VAN DE WIEL TH. & ELING W.M.C. Attenuated immunogenic parasites are essential in the transfer of immunity to virulent *Plasmodium berghei*, 509
CENACCHI G. *see* RAMAZZOTTI E.
CHADEE K. *see* LIN J.-Y.
CHAMBERS D.A. *see* COOK-MILLS J.M.
CHANDLER P., FRATER A.J., DOUEK D.C., VINEY J.L., KAY G., OWEN M.J., HAYDAY A.C., SIMPSON E. & ALTMANN D.M. Immune responsiveness in mutant mice lacking T-cell receptor $\alpha\beta^+$ cells, 531
CHAPLIN L. *see* STEPHENS S.
CHATFIELD S.N. *see* XU D.
CHATTERJEE D. *see* ROACH T.I.A.
CHEERS C. *see* LIU Z.
CHIN Y.H. *see* SACKSTEIN R.
CHOI B.-M. *see* JUN C.-D.
CHUNG H.-T. *see* JUN C.-D.
CHUNG K.F. *see* HACZKU A.
CHUNG S.W., GORCZYNSKI R.M., DZIADKOWIEC I. & LEVY G.A. Induction of T-cell hyporesponsiveness by intrahepatic modulation of donor antigen-presenting cells, 582
COHEN R.L. *see* COOK-MILLS J.M.
COHEN S.B.A. IL-10 and IL-3 synergize to cause proliferation of human T cells, 351
COMOLI P. *see* MACCARIO R.
COOK-MILLS J.M., COHEN R.L., PERLMAN R.L. & CHAMBERS D.A. Inhibition of lymphocyte activation by catecholamines: evidence for a neo-classical mechanism of catecholamine action, 544
CORRIGAN E., KELLEHER D., FEIGHERY C. & LONG A. Protein kinase C isoform expression in $CD45RA^+$ and $CD45RO^+$ T lymphocytes, 299
CROWE S. *see* BARTHOLOMEW M.

DALLAS-PEDRETTI A. *see* PETERSON J.D.
DAVID C. *see* BROWN C.R.
DAVIES A., WILSON A.B., BRAMLEY J.C., WILLERS C., VAN HEYNINGEN V., BICKMORE W.A. & LACHMANN P.J. Identification of MIC 11 antigen as an epitope of the CD59 molecule, 220
DAVIES E.V. & HALLETT M.B. A novel pathway for Ca^{2+} signalling in neutrophils by immune complexes, 538
DE JONG I. *see* HEEMSKERK M.H.M.
DEBOER D. *see* GEBHARD D.
DECKERT-SCHLÜTER M., ALBRECHT S., HOF H., WIESTLER O.D. & SCHLÜTER D. Dynamics of the intracerebral and splenic cytokine mRNA production in *Toxoplasma gondii*-resistant and -susceptible congenic strains of mice, 408
DELESPESSE G. *see* ARMANT M.
DI MARCO R. *see* NICOLETTI F.
DIAZ-SANCHEZ D. *see* ZHANG K.
DIERICH M.P. *see* PROHÁSZKA Z.
DIXON R.J. *see* BENNETT P.A.
DOUEK D.C. *see* CHANDLER P.
DOUGAN G. *see* XU D.
DUTZ J.P., TEH S.-J., KILLEEN N. & TEH H.-S. A mutation in the α3 domain of D^b that abrogates CD8 binding does not affect presentation of an immunodominant H-Y peptide, 74
DZIADKOWIEC I. *see* CHUNG S.W.

EDMISTON D. *see* GEBHARD D.
EGNER W. & HART D.N.J. The phenotype of freshly isolated and cultured human bone marrow allostimulatory cells: possible heterogeneity in bone marrow dendritic cell populations, 611
EGUCHI K. *see* MIGITA K.
ELING W.M.C. *see* CELLUZZI C.M.
ELJUGA D. *see* JURETIC A.
EMTAGE S. *see* STEPHENS S.
ENGLEMAN E.G. *see* FAGNONI F.F.
ESPITIA C. *see* THOMSSEN H.
ESTELLE F. *see* IMADA M.
ESTES R.G. *see* BROWN C.R.

FAGNONI F.F., TAKAMIZAWA M., GODFREY W.R., RIVAS A., AZUMA M., OKUMURA K. & ENGLEMAN E.G. Role of B70/B7-2 in $CD4^+$ T-cell immune responses induced by dendritic cells, 467
FAIRCHILD P.J. & AUSTYN J.M. Developmental changes predispose the fetal thymus to positive selection of $CD4^+CD8^-$ T cells, 292
FAITH A. *see* FERNANDEZ M.H.
FEIGHERY C. *see* CORRIGAN E.
FEIZI T. *see* LOVELESS R.W.
FERNANDEZ M.H., FAITH A., HIGGINS J.A., WEBER J. & REES A.D.M. The effect of a single amino acid substitution within the V3 loop of HIV-1 gp120 on HLA-DR1-restricted CD4 T-cell recognition, 176
FERNIE B.A. *see* WÜRZNER R.
FILSINGER S. *see* KRAFT M.
FINAN P.M. *see* BENNETT P.A.
FISCHER A. *see* KÖNIG B.
FLYNN J.N., CANNON C.A., REID G., RIGBY M.A., NEIL J.C. & JARRETT O. Induction of feline immunodeficiency virus-specific cell-mediated and humoral responses following immunization with a multiple antigenic peptide from the envelope V3 domain, 171
FORMAN J. *see* BROWN C.R.
FRAKER P.J. *see* KING L.E.
FRATER A.J. *see* CHANDLER P.
FU F. *see* QIAN S.
FUNG J.J. *see* QIAN S.
FURLINI G. *see* RAMAZZOTTI E.
FURNEY S.K. *see* ROBERTS A.D.
FÜST G. *see* PROHÁSZKA Z.

GALATTI H. *see* ARNOLD R.
GANAPAMO F., RUTTI B. & BROSSARD M. *In vitro* production of interleukin-4 and interferon-γ by lymph node cells from BALB/c mice infested with nymphal *Ixodes ricinus* ticks, 120
GAO J.-X. & ISSEKUTZ A.C. Polymorphonuclear leucocyte migration through human dermal fibroblast monolayers is dependent on both β_2-integrin (CD11/CD18) and β_1-integrin (CD29) mechanisms, 485
GAO L. *see* QIAN S.
GARCIA A.-M. *see* TACCHINI-COTTIER F.
GAYO A. *see* ZAMORANO J.
GEBHARD D., ORTON S., EDMISTON D., NAKAGAKI K., DEBOER D. & HAMMERBERG B. Canine IgE monoclonal antibody specific for a filarial antigen: production by a canine × murine heterohybridoma using B cells from a clinically affected lymph node, 429
GERNA G. *see* MACCARIO R.
GHILDYAL N. *see* MYERS M.J.
GIANNETTI A. *see* RAMAZZOTTI E.
GIROLOMONI G. *see* RAMAZZOTTI E.
GODFREY W.R. *see* FAGNONI F.F.
GOLDKORN I. *see* HERSHKOVIZ R
GORCZYNSKI R.M. *see* CHUNG S.W.
GRAMMER S.F. *see* KURIMOTO I.
GRASSO S. *see* NICOLETTI F.
GRAU G.E. *see* TACCHINI-COTTIER F.
GUTIÉRREZ C. *see* ZAMORANO J.

HACZKU A., CHUNG K.F., SUN J., BARNES P.J., KAY A.B. & MOQBEL R. Airway hyperresponsiveness, elevation of serum-specific IgE and activation of T cells following allergen exposure in sensitized Brown–Norway rats, 598
HACZKU A., MOQBEL R., JACOBSON M., KAY A.B., BARNES P.J. & CHUNG K.F. T-cells subsets and activation in bronchial mucosa of sensitized Brown–Norway rats after single allergen exposure, 591
HAKULINEN J. & MERI S. Shedding and enrichment of the glycolipid-anchored complement lysis inhibitor protectin (CD59) into milk fat globules, 495
HALLETT M.B. *see* DAVIES E.V.
HAMAOKA T. *see* SHAO D.-Z.
HAMMERBERG B. *see* GEBHARD D.
HAN S.-H. *see* SUN K.-H.
HÄNSCH G.M. *see* KRAFT M.
HARADA M. *see* KUROSAWA S.
HARDER F. *see* JURETIC A.
HART D.N.J. *see* EGNER W.
HASKARD D.O. *see* TSANG Y.T.M.
HASKINS K. *see* PETERSON J.D.
HAYBALL J.D. *see* LAMB J.R.
HAYDAY A.C. *see* CHANDLER P.
HAYGLASS K.T. *see* IMADA M.
HEBERER M. *see* JURETIC A.
HEEMSKERK M.H.M., SCHOEMAKER H.M., DE JONG I., SCHIJNS V.E.C.J., SPAAN W.J.M. & BOOG C.J.P. Differential activation of mouse hepatitis virus-specific $CD4^+$ cytoxic T cells is defined by peptide length, 517
HERSHKOVIZ R, GOLDKORN I. & LIDER O. Tumour necrosis factor-α interacts with laminin and functions as a pro-adhesive cytokine, 125
HETZEL C. *see* LAMB J.R.
HIDVÉGI T. *see* PROHÁSZKA Z.
HIGGINS J.A. *see* FERNANDEZ M.H.
HIGGINS J.A. *see* LAMB J.R.
HIRANO H. *see* SHAO D.-Z.
HIRAYAMA F. *see* SHAO D.-Z.
HIROMATSU K. *see* ARAI T.
HOBART M.J. *see* WÜRZNER R.
HOF H. *see* DECKERT-SCHLÜTER M.
HOLMSKOV U. *see* LOVELESS R.W.
HOLT P.G. *see* STEPTOE R.J.
HÖRIG H. *see* JURETIC A.
HOSONO M. *see* NISHIO A.
HSU S.-C., SHAW D.M. & STEWARD M.W. The induction of respiratory syncytial virus-specific cytotoxic T-cell responses following immunization with a synthetic peptide containing a fusion peptide linked to a cytotoxic T lymphocyte epitope, 347
HUNTER C.A. *see* BROWN C.R.
HUSSAIN L.A. & LEHNER T. Comparative investigation of Langerhans' cells and potential receptors for HIV in oral, genitourinary and rectal epithelia, 475

IMADA M., ESTELLE F., SIMONS R., JAY F.T. & HAYGLASS K.T. Allergen-stimulated interleukin-4 and interferon-γ production in primary culture: responses of subjects with allergic rhinitis and normal controls, 373
INABA M. *see* NISHIO A.
IQBALL S. *see* KNIGHT S.C.
ISHIDA H. *see* ARAI T.
ISHIDA H. *see* MORIKAWA Y.
ISSEKUTZ A.C. *see* GAO J.-X.
IVANYI J. *see* THOMSSEN H.
IWAKAMI N. *see* KIKUCHI A.

JACOBSON M. *see* HACZKU A.
JARRETT O. *see* FLYNN J.N.
JARRETT O. *see* LAWRENCE C.E.
JAY F.T. *see* IMADA M.
JIMÉNEZ E. *see* VICENTE A.
JOHNSTON I.C.D. *see* USHERWOOD E.J.

JUN C.-D., CHOI B.-M., KIM S.-U., LEE S.Y., KIM H.-M. & CHUNG H.-T. Down-regulation of transforming growth factor-β gene expression by antisense oligodeoxynucleotides increases recombinant interferon-γ-induced nitric oxide synthesis in murine peritoneal macrophages, 114
JURETIC A., SPAGNOLI G.C., HÖRIG H., SHIPMAN R., KOCHER T., SAMIJA M., TURIC M., ELJUGA D., HARDER F. & HEBERER M. Tyrosine kinase-dependent and -independent events induced by interleukin-2 stimulation: interleukin-2-mediated NO production required for the induction of lymphokine-activated killer cell activity in rat splenocytes is tyrosine kinase dependent, 325

KABELITZ D. *see* KRAFT M.
KAKUDO K. *see* MORIKAWA Y.
KAMO I. *see* KIKUCHI A.
KARLSSON J.-A. *see* UNDERWOOD S.L.
KASAKURA S. *see* NISHIO A.
KATAKAI T. *see* NISHIO A.
KAUSALYA S. *see* BRIGHT J.J.
KAWABE Y. *see* MIGITA K.
KAY A.B. *see* HACZKU A.
KAY G. *see* CHANDLER P.
KELLEHER D. *see* CORRIGAN E.
KELLER K. *see* LIN J.-Y.
KELLIE S. *see* BENNETT P.A.
KEMENY D.M. *see* NOBLE A.
KEMENY D.M. *see* UNDERWOOD S.L.
KHAR A. *see* BRIGHT J.J.
KIKUCHI A., IWAKAMI N., TAKAHASHI K., SUZUKI J., KONDO J., YAMADA E., NONAKA I. & KAMO I. Immunological and biochemical characterization of biglycan-like haemopoietic factor, 131
KIKUCHI Y. *see* YAMASHITA Y.
KILLEEN N. *see* DUTZ J.P.
KIM H.-M. *see* JUN C.-D.
KIM S.-U. *see* JUN C.-D.
KIMOTO M. *see* YAMASHITA Y.
KIMURA Y. *see* ARAI T.
KING L.E., OSATI-ASHTIANI F. & FRAKER P.J. Depletion of cells of the B lineage in the bone marrow of zinc-deficient mice, 69
KIYOI H., NAITO K., OHNO R. & NAOE T. Comparable profiles of the immunoglobulin heavy chain complementarity determining region (CDR)-3 in $CD5^+$ and $CD5^-$ human cord blood B lymphocytes, 236
KNIGHT J. & ROWLEY A.F. Immunoregulatory activities of eicosanoids in the rainbow trout (*Oncorhynchus mykiss*), 389
KNIGHT S.C., IQBALL S., WOODS C., STAGG A., WARD M.E. & TUFFREY M. A peptide of *Chlamydia trachomatis* shown to be a primary T-cell epitope *in vitro* induces cell-mediated immunity *in vivo*, 8
KOBAYASHI N. *see* ARAI T.
KOBAYASHI N. *see* KUROSAWA S.
KOCHER T. *see* JURETIC A.
KOMORI T. & SUGIYAMA H. An aberrant splicing using a 3′ cryptic splice site within the C_H1 exon induces truncated μ-chain production, 166
KONDO J. *see* KIKUCHI A.
KÖNIG B. *see* ARNOLD R.
KÖNIG B., FISCHER A. & KÖNIG W. Modulation of cell-bound and soluble CD23, spontaneous and ongoing IgE synthesis of human peripheral blood mononuclear cells by soluble IL-4 receptors and the partial antagonistic IL-4 mutant protein IL-4 (Y124D), 604
KÖNIG W. *see* ARNOLD R.
KÖNIG W. *see* KÖNIG B.
KOSUGI A. *see* YAMASHITA Y.
KRAFT M., FILSINGER S., KRÄMER K.-L., KABELITZ D., HÄNSCH G.M. & SCHOELS M. Synovial fibroblasts as accessory cells for staphylococcal enterotoxin-mediated T-cell activation, 461
KRÄMER K.-L. *see* KRAFT M.
KURIMOTO I., GRAMMER S.F., SHIMIZU T., NAKAMURA T. & STREILEIN J.W. Role of $F4/80^+$ cells during induction of hapten-specific contact hypersensitivity, 621
KUROSAWA S., HARADA M., MATSUZAKI G., SHINOMIYA Y., TERAO H., KOBAYASHI N. & NOMOTO K. Early-appearing tumour-infiltrating natural killer cells play a crucial role in the generation of anti-tumour T lymphocytes, 338
KUSAMA Y. *see* TAKAMOTO M.

LA PLACA M. *see* RAMAZZOTTI E.
LACHMANN P.J. *see* DAVIES A.
LACHMANN P.J. *see* WÜRZNER R.
LAKE R.A. *see* LAMB J.R.
LAMB J.R., HIGGINS J.A., HETZEL C., HAYBALL J.D., LAKE R.A. & O'HEHIR R.E. The effects of changes at peptide residues contacting MHC class II T-cell receptor on antigen recognition and human Th0 cell effector function, 447
LAWRENCE C.E., CALLANAN J.J., WILLETT B.J. & JARRETT O. Cytokine production by cats infected with feline immunodeficiency virus: a longitudinal study, 568
LEE S.Y. *see* JUN C.-D.
LEE T.H. *see* UNDERWOOD S.L.
LEHNER T. *see* HUSSAIN L.A.
LEVY G.A. *see* CHUNG S.W.
LI Y. *see* QIAN S.
LICENCE S.T. & BINNS R.M. Major long-term changes in $\gamma\delta$ T-cell receptor-positive and $CD2^+$ T-cell subsets after neonatal thymectomy in the pig: a longitudinal study lasting nearly 2 years, 276
LICENCE S.T. *see* TSANG Y.T.M.
LIDER O. *see* HERSHKOVIZ R
LIEM P.L. *see* CELLUZZI C.M.
LIEW F.Y. *see* ROACH T.I.A.
LIEW F.Y. *see* XU D.
LIN J.-Y., SEGUIN R., KELLER K. & CHADEE K. Transforming growth factor-β_1 primes macrophages for enhanced expression of the nitric oxide synthase gene for nitric oxide-dependent cytotoxicity against *Entamoeba histolytica*, 400
LIPSCOMBE R.J., SUMIYA M., SUMMERFIELD J.A. & TURNER M.W. Distinct physiochemical characteristics of human mannose binding protein expressed by individuals of differing genotype, 660
LIU L.-M. & MACPHERSON G.G. Rat intestinal dendritic cells: immunostimulatory potency and phenotypic characterization, 88
LIU W.-T. *see* SUN K.-H.
LIU Z., SIMPSON R.J. & CHEERS C. Interaction of interleukin-6, tumour necrosis factor and interleukin-1 during *Listeria* infection, 562
LOCATELLI F. *see* MACCARIO R.
LOH D.Y. *see* BLANKSON J.N.
LONDEI M. *see* THOMSSEN H.
LONG A. *see* CORRIGAN E.
LOU J.N. *see* TACCHINI-COTTIER F.
LOVELESS R.W., HOLMSKOV U. & FEIZI T. Collectin-43 is a serum lectin with a distinct pattern of carbohydrate recognition, 651
LOVELIDGE L.J. *see* USHERWOOD E.J.
LU L. *see* QIAN S.

MACCARIO R., COMOLI P., PERCIVALLE E., MONTAGNA D., LOCATELLI F. & GERNA G. Herpes simplex virus-specific human cytoxic T-cell colonies expressing either $\gamma\delta$ or $\alpha\beta$ T-cell receptor: role of accessory molecules on HLA-unrestricted killing of virus-infected targets, 49
MACPHERSON G.G. *see* LIU L.-M.
MAGRO G. *see* NICOLETTI F.
MARCHBANK K.J., MORGAN B.P. & VAN DEN BERG C.W. Regulation of CD59 expression on K562 cells: effects of phorbol myristate acetate, cross-linking antibody and non-lethal complement attack, 146
MARCONI A. *see* RAMAZZOTTI E.
MARDELL C. *see* XU X.

MARUŠIČ-GALEŠIČ S. & WALDEN P. Increased number of $CD4^-CD8^+$ MHC class II-specific T cells in MHC class II-deficient mice, 442
MATSUDA T. *see* NISHIO A.
MATSUURA N. *see* MORIKAWA Y.
MATSUZAKI G. *see* KUROSAWA S.
MCCLEOD R. *see* BROWN C.R.
MCMENAMIN P.G. *see* STEPTOE R.J.
MCSORLEY S.J. *see* XU D.
MELLOR A. *see* TABONA P.
MENG L. *see* SACKSTEIN R.
MERI S. *see* HAKULINEN J.
MERONI P.-L. *see* NICOLETTI F.
MEWAR D. *see* WÜRZNER R.
MIGITA K., EGUCHI K., KAWABE Y. & NAGATAKI S. Tyrosine phosphorylation participates in peripheral T-cell activation and programmed cell death *in vivo*, 550
MINÓPRIO P. *see* CASTRO A.G.
MINÓPRIO P. *see* SATO M.N.
MIYAKE K. *see* YAMASHITA Y.
MOIRE N. *see* NICOLAS-GAULARD I.
MONTAGNA D. *see* MACCARIO R.
MOORE S.E.H., SCHOFIELD J.P. & WATTS C. Low abundance of naturally processed T-cell determinants following antigen pulsing of antigen-specific human B-cell lines, 523
MOQBEL R. *see* HACZKU A.
MORENO J. *see* VICENTE A.
MORGAN B.P. *see* MARCHBANK K.J.
MORIKAWA Y., YOHYA K., ISHIDA H., MATSUURA N. & KAKUDO K. Different migration patterns of antigen-presenting cells correlate with Th1/Th2-type responses in mice, 575
MORRONE S. *see* NICOLETTI F.
MORSE S.S. *see* BLANKSON J.N.
MOZO L. *see* ZAMORANO J.
MYERS M.J., GHILDYAL N. & SCHOOK L.B. Endotoxin and interferon-γ differentially regulate the transcriptional levels of proto-oncogenes and cytokine genes during the differentiation of colony-stimulating factor type-1-derived macrophages, 318

NAGATAKI S. *see* MIGITA K.
NAITO K. *see* KIYOI H.
NAKAGAKI K. *see* GEBHARD D.
NAKAMURA T. *see* KURIMOTO I.
NAOE T. *see* KIYOI H.
NAORA H. *see* NAORA H.
NAORA H., NISHIDA T., SHINDO Y., ADACHI M. & NAORA H. Association of *nbl* gene expression and glucocorticoid-induced apoptosis inmouse thymus *in vivo*, 63
NARIUCHI H. *see* TAKAMOTO M.
NASH A.A. *see* USHERWOOD E.J.
NEIL J.C. *see* FLYNN J.N.
NESBITT A. *see* STEPHENS S.
NICOLAS-GAULARD I., MOIRE N. & BOULARD C. Effect of the parasite enzyme, hypodermin A, on bovine lymphocyte proliferation and interleukin-2 production via the prostaglandin pathway, 160
NICOLETTI F., ZACCONE P., DI MARCO R., MAGRO G., GRASSO S., MORRONE S., SANTONI A., TEMPERA G., MERONI P.-L. & BENDTZEN K. Effects of sodium fusidate in animal models of insulin-dependent diabetes mellitus and septic shock, 645
NIMURA Y. *see* ARAI T.
NISHIDA T. *see* NAORA H.
NISHIMURA H. *see* ARAI T.
NISHIO A., KATAKAI T., HOSONO M., INABA M., SAKAI M., OKUMA M., KASAKURA S. & MATSUDA T. Breakdown of self-tolerance by intrathymic injection of a T-cell line inducing autoimmune gastritis in mice, 270
NOBLE A. & KEMENY D.M. Interleukin-4 enhances interferon-γ synthesis but inhibits development of interferon-γ-producing cells, 357
NODA S. *see* YAMASHITA Y.
NOMOTO K. *see* KUROSAWA S.
NONAKA I. *see* KIKUCHI A.
NOVAK C. *see* STEPHENS S.
NOYOLA H. *see* QIAN S.

O'HEHIR R.E. *see* LAMB J.R.
OHNO R. *see* KIYOI H.
OKUMA M. *see* NISHIO A.
OKUMURA K. *see* FAGNONI F.F.
ONO S. *see* SHAO D.-Z.
ORDWAY D.J. *see* ROBERTS A.D.
ORME I.M. *see* ROBERTS A.D.
ORTON S. *see* GEBHARD D.
OSATI-ASHTIANI F. *see* KING L.E.
OWEN M.J. *see* CHANDLER P.

PERCIVALLE E. *see* MACCARIO R.
PERLMAN R.L. *see* COOK-MILLS J.M.
PETERSON J.D., PIKE B., DALLAS-PEDRETTI A. & HASKINS K. Induction of diabetes with islet-specific T-cell clones is age dependent, 455
PIKE B. *see* PETERSON J.D.
PROHÁSZKA Z., HIDVÉGI T., UJHELYI E., STOIBER H., DIERICH M.P., SÜSAL C. & FÜST G. Interaction of complement and specific antibodies with the external glycoprotein 120 of HIV-1, 184

QIAN S., FU F., LI Y., GAO L., LU L., NOYOLA H., RAO A.S., THOMSON A.W. & FUNG J.J. Presentation by skin grafting from major histocompatibility complex class I or major histocompatibility complex class II deficient mice identifies class I antigens as inducers of allosensitization, 82

RAEBURN D. *see* UNDERWOOD S.L.
RAMAZZOTTI E., MARCONI A., RE M.C., GIROLOMONI G., CENACCHI G., VIGNOLI M., ZAMBRUNO G., FURLINI G., LA PLACA M. & GIANNETTI A. *In vitro* infection of human epidermal Langerhans' cells with HIV-1, 94
RAO A.S. *see* QIAN S.
RE M.C. *see* RAMAZZOTTI E.
READ L.C. *see* XU X.
REES A.D.M. *see* FERNANDEZ M.H.
REID G. *see* FLYNN J.N.
REMINGTON J.S. *see* BROWN C.R.
RIGBY M.A. *see* FLYNN J.N.
RIVAS A. *see* FAGNONI F.F.
RIVAS D. *see* ZAMORANO J.
ROACH T.I.A., BARTON C.H., CHATTERJEE D., LIEW F.Y. & BLACKWELL J.M. Opposing effects of intereron-γ on iNOS and interleukin-10 expression in lipopolysaccharide- and mycobacterial lipoarabinomannan-stimulated macrophages, 106
ROBERTS A.D., SONNENBERG M.G., ORDWAY D.J., FURNEY S.K., BRENNAN P.J., BELISLE J.T. & ORME I.M. Characteristics of protective immunity engendered by vaccination of mice with purified culture filtrate protein antigens of *Mycobacterium tuberculosis*, 502
ROBERTS D.J. *see* TACCHINI-COTTIER F.
ROBINSON M.K. *see* TSANG Y.T.M.
ROSSMAN C. *see* BARTHOLOMEW M.
ROWLEY A.F. *see* KNIGHT J.
RUTTI B. *see* GANAPAMO F.

SACEDÓN R. *see* VICENTE A.
SACKSTEIN R., MENG L., XU X.M. & CHIN Y.H. Evidence of post-transcriptional regulation of L-selectin gene expression in rat lymphoid cells, 198
SAKAI M. *see* NISHIO A.
SAMIJA M. *see* JURETIC A.
SANTONI A. *see* NICOLETTI F.
SARFATI M. *see* ARMANT M.
SATO M.N., MINÓPRIO P., AVRAMEAS S. & TERNYNCK T. Defects in the regulation of anti-DNA antibody production in aged lupus-prone $(NZB \times NZW)F_1$ mice: analysis of T-cell lymphokine synthesis, 26
SAXON A. *see* ZHANG K.
SCHIJNS V.E.C.J. *see* HEEMSKERK M.H.M.

SCHILLER C. *see* SPITTLER A.
SCHLÜTER D. *see* DECKERT-SCHLÜTER M.
SCHOELS M. *see* KRAFT M.
SCHOEMAKER H.M. *see* HEEMSKERK M.H.M.
SCHOFIELD J.P. *see* MOORE S.E.H.
SCHOOK L.B. *see* MYERS M.J.
SEGUIN R. *see* LIN J.-Y.
SERVET-DELPRAT C., BRIDON J.-M., BLANCHARD D., BANCHEREAU J. & BRIÈRE F. CD40-activated human naive surface IgD^+ B cells produce IgG2 in response to activated T-cell supernatant, 435
SHAO D.-Z., YAMADA S., HIRAYAMA F., HIRANO H., ONO S. & HAMAOKA T. Modulation of B-cell abnormalities in lupus-prone $(NZB \times NZW)F_1$ mice by normal bone marrow-derived B-lineage cells, 16
SHAW D.M. *see* HSU S.-C.
SHIMIZU T. *see* KURIMOTO I.
SHINDO Y. *see* NAORA H.
SHINOMIYA Y. *see* KUROSAWA S.
SHIPMAN R. *see* JURETIC A.
SIMONS R. *see* IMADA M.
SIMPSON E. *see* CHANDLER P.
SIMPSON R.J. *see* LIU Z.
SONNENBERG M.G. *see* ROBERTS A.D.
SOPWITH M. *see* STEPHENS S.
SPAAN W.J.M. *see* HEEMSKERK M.H.M.
SPAGNOLI G.C. *see* JURETIC A.
SPITTLER A., SCHILLER C., WILLHEIM M., TEMPFER C., WINKLER S. & BOLTZ-NITULESCU G. IL-10 augments CD23 expression on U937 cells and down-regulates IL-4-driven CD23 expression on cultured human blood monocytes: effects of IL-10 and other cytokines on cell phenotype and phagocytosis, 311
STAGG A. *see* KNIGHT S.C.
STEPHENS P.E. *see* TSANG Y.T.M.
STEPHENS S., EMTAGE S., VETTERLEIN O., CHAPLIN L., BEBBINGTON C., NESBITT A., SOPWITH M., ATHWAL D., NOVAK C. & BODMER M. Comprehensive pharmacokinetics of a humanized antibody and analysis of residual anti-idiotypic responses, 668
STEPTOE R.J., HOLT P.G. & MCMENAMIN P.G. Functional studies of major histocompatibility class II-positive dendritic cells and resident tissue macrophages isolated from the rat iris, 630
STEWARD M.W. *see* HSU S.-C.
STOIBER H. *see* PROHÁSZKA Z.
STREILEIN J.W. *see* KURIMOTO I.
SUGANE K. *see* TAKAMOTO M.
SUGIYAMA H. *see* KOMORI T.
SUMIYA M. *see* LIPSCOMBE R.J.
SUMMERFIELD J.A. *see* LIPSCOMBE R.J.
SUMMERFIELD J.A. *see* TABONA P.
SUN J. *see* HACZKU A.
SUN K.-H., LIU W.-T., TSAI C.-Y., TANG S.-J., HAN S.-H. & YU C.-L. Anti-dsDNA antibodies cross-react with ribosomal P proteins expressed on the surface of glomerular mesangial cells to exert a cytostatic effect, 262
SÜSAL C. *see* PROHÁSZKA Z.
SUZUKI J. *see* KIKUCHI A.

TABONA P., MELLOR A. & SUMMERFIELD J.A. Mannose binding protein is involved in first-line host defence: evidence from transgenic mice, 153
TACCHINI-COTTIER F., LOU J.N., ROBERTS D.J., GARCIA A.-M. & GRAU G.E. Detection of a LFA-1-like epitope on the surface of erythrocytes infected with a strain of *Plasmodium falciparum*, 205
TAKAHASHI K. *see* KIKUCHI A.
TAKAMIZAWA M. *see* FAGNONI F.F.
TAKAMOTO M., KUSAMA Y., TAKATSU K., NARIUCHI H. & SUGANE K. Occurrence of interleukin-5 production by $CD4^-CD8^-$ (double-negative) T cells in lungs of both normal and congenitally athymic nude mice infected with *Toxocara canis*, 285
TAKATSU K. *see* TAKAMOTO M.
TAKATSU K. *see* YAMASHITA Y.
TANG S.-J. *see* SUN K.-H.
TEH H.-S. *see* DUTZ J.P.
TEH S.-J. *see* DUTZ J.P.
TEMPERA G. *see* NICOLETTI F.
TEMPFER C. *see* SPITTLER A.
TERAO H. *see* KUROSAWA S.
TERNYNCK T. *see* SATO M.N.
THOMSON A.W. *see* QIAN S.
THOMSSEN H., IVANYI J., ESPITIA C., ARYA A. & LONDEI M. Human $CD4^-CD8^-\alpha\beta^+$ T-cell receptor T cells recognize different mycobacteria strains in the context of CD1b, 33
TITE J. *see* BARTHOLOMEW M.
TONKS P. *see* USHERWOOD E.J.
TSAI C.-Y. *see* SUN K.-H.
TSANG Y.T.M., STEPHENS P.E., LICENCE S.T., HASKARD D.O., BINNS R.M. & ROBINSON M.K. Porcine E-selectin: cloning and functional characterization, 140
TUFFREY M. *see* KNIGHT S.C.
TURIC M. *see* JURETIC A.
TURNER M.W. *see* LIPSCOMBE R.J.

UJHELYI E. *see* PROHÁSZKA Z.
UNDERWOOD S.L., KEMENY D.M., LEE T.H., RAEBURN D. & KARLSSON J.-A. IgE production, antigen-induced airway inflammation and airway hyperreactivity in the Brown Norway rat: the effects of ricin, 256
USHERWOOD E.J., JOHNSTON I.C.D., LOVELIDGE L.J., TONKS P. & NASH A.A. Lymphocyte recognition elements on the VP1 protein of Thelier's virus, 190

VAN DE WIEL TH. *see* CELLUZZI C.M.
VAN DEN BERG C.W. *see* MARCHBANK K.J.
VAN HEYNINGEN V. *see* DAVIES A.
VARAS A. *see* VICENTE A.
VETTERLEIN O. *see* STEPHENS S.
VICENTE A., VARAS A., MORENO J., SACEDÓN R., JIMÉNEZ E. & ZAPATA A.G. Ontogeny of rat thymic macrophages. Phenotypic characterization and possible relationships between different cell subsets, 99
VIGNOLI M. *see* RAMAZZOTTI E.
VINEY J.L. *see* CHANDLER P.

WALDEN P. *see* MARUŠIČ-GALEŠIČ S.
WARD M.E. *see* KNIGHT S.C.
WATTS C. *see* MOORE S.E.H.
WEBER J. *see* FERNANDEZ M.H.
WERCHAU H. *see* ARNOLD R.
WIESTLER O.D. *see* DECKERT-SCHLÜTER M.
WILLERS C. *see* DAVIES A.
WILLETT B.J. *see* LAWRENCE C.E.
WILLHEIM M. *see* SPITTLER A.
WILSON A.B. *see* DAVIES A.
WINKLER S. *see* SPITTLER A.
WOODS C. *see* KNIGHT S.C.
WÜRZNER R., MEWAR D., FERNIE B.A., HOBART M.J. & LACHMANN P.J. Importance of the third thrombospondin repeat of C6 for terminal complement complex assembly, 214

XIAN C.J. *see* XU X.
XU D., MCSORLEY S.J., CHATFIELD S.N., DOUGAN G. & LIEW F.Y. Protection against *Leishmania major* infection in genetically susceptible BALB/c mice by GP63 delivered orally in attenuated *Salmonella typhimurium* ($AroA^-AroD^-$), 1
XU X., MARDELL C., XIAN C.J., ZOLA H. & READ L.C. Expression of functional insulin-like growth factor-1 receptor on lymphoid cell subsets of rats, 394
XU X.M. *see* SACKSTEIN R.

YAMADA E. *see* KIKUCHI A.
YAMADA S. *see* SHAO D.-Z.

YAMASHITA Y., MIYAKE K., KIKUCHI Y., TAKATSU K., NODA S., KOSUGI A. & KIMOTO M. A monoclonal antibody against a murine CD38 homologue delivers a signal to B cells for prolongation of survival and protection against apoptosis *in vitro*: unresponsiveness of X-linked immunodeficient B cells, 248
YOHYA K. *see* MORIKAWA Y.
YOSHIKAI Y. *see* ARAI T.
YU C.-L. *see* SUN K.-H.

ZACCONE P. *see* NICOLETTI F.
ZAMBRUNO G. *see* RAMAZZOTTI E.
ZAMORANO J., RIVAS D., GAYO A., MOZO L. & GUTIÉRREZ C. Soluble, but not immobilized, anti-IgM antibody inhibits post-activation events leading to T-cell-dependent B-cell differentiation, 241
ZAPATA A.G. *see* VICENTE A.
ZHANG K., DIAZ-SANCHEZ D. & SAXON A. Germ-line human ε heavy chain gene RNA transcripts utilize the full range of alternative 3′ splicing seen in productive ε mRNA, 228
ZOLA H. *see* XU X.

Subject Index

Airway hyperresponsiveness:
  serum IgE and T-cell activation, 598
  T-cell subsets and activation, 591
Allergen-stimulated cytokine production:
  in primary culture, 373
Anti-CD38 homologue antibody:
  and B-cell survival, 248
Anti-DNA antibodies:
  cross-reaction with ribosomal P proteins, 262
  in aged NZB×NZW F_1 mice 26
Anti-IgM:
  inhibition of B-cell differentiation, 241
Antigen-presenting cells:
  induction of T-cell hyporesponsiveness by intrahepatic modulation, 582
Antigen-presenting cell migration patterns:
  and Th1/Th2 responses, 575
Apoptosis, glucocorticoid induced:
  association with *nbl* gene expression, 63

B cells, naive human surface IgD^+:
  production of IgG2, 435
B-cell abnormalities in NZB/W F_1 mice:
  modulation by normal B cells, 16
Biglycan-like haemopoietic factor, 131

Catecholamine inhibition of lymphocyte activation, 544
$CD4^+CD8^-$ T cells:
  developmental regulation of postive selection, 292
CD59:
  MIC 11 antigen epitope, 220
  regulation of expression, 146
Chlamydia trachomatis, peptide vaccine:
  induction of cell-mediated immunity, 8
Class I antigens:
  inducers of allosensitization, 82
Collectin-43:
  carbohydrate recognition by, 651
Complement, terminal complex assembly:
  role of third thrombospondin repeat of C6, 214
Complementary determining region-3:
  in $CD5^+$ and $CD5^-$ human cord blood B cells, 236
Contact hypersensitivity:
  role of $F4/80^+$ cells, 621
Cytokine expression:
  during *Mycobacterium avium* infection, 556
Cytokine mRNA:
  in *Toxoplasma gondii*-resistant and susceptible strains of mice, 408
Cytokine production:
  in cats infected with feline immunodeficiency virus, 568
  in mice infested by ticks, 120
Cytotoxic T cells, CD4:
  activation defined by peptide length, 517
Cytotoxic T cells, human:
  specific for herpes symplex virus-1, 49
Cytoxic T-cell responses:
  induction by immunization with a synthetic peptide, 347

D^b α3 domain, mutation in:
  effect on presentation of an H-Y peptide, 74
Dendritic cells:
  role of B70/B7-2, 467
Dendritic cells and resident macrophages:
  from rat iris, 630
Dendritic cells, bone marrow:
  heterogeneity, 611
Dendritic cells, intestinal, rat:
  characteristics of, 88
Diabetes:
  induction with islet-specific T-cell clones, 455

E-selectin, porcine:
  cloning and characterization, 140
Eicosanoids, immunoregulatory activities:
  in rainbow trout, 389
Endotoxin and interferon-γ:
  differential regulation of proto-oncogenes and cytokine genes, 318

Feline immunodeficiency virus, specific immunity to:
  induced by immunization with a synthetic peptide, 171

Human immunodeficiency virus:
  in epithelia, 475
Human immunodeficiency virus-1, glycoprotein 120:
  interaction with complement and specific antibodies, 184
Humanized antibody:
  pharmacokinetics and anti-idiotypic responses, 668
Humanized anti-CD4:
  effects on human T-cells, 41
ε heavy chain gene transcripts, human:
  alternative 31 splicing, 228

IgE:
  and airway inflammation, 256
IgE monoclonal, canine:
  specific for a filarial antigen, 429
Immune complexes:
  novel pathway for Ca^{2+} signalling in neutrophils, 538
Immunity to *Plasmodium berghei*:
  by attenuated parasites, 509
Immunoglobulin μ-chain production:
  truncated, 166
Insulin-dependent diabetes mellitus:
  effect of sodium fusidate, 645
Insulin-like growth factor-1:
  expression on rat lymphoid cell subsets, 394
Interferon-γ:
  effects on nitric oxide synthase and interleukin-10 expression, 106
Interleukin-4:
  effect on interferon synthesis and interferon-producing cells, 357
Interleukin-4 receptors:
  modulation of CD23 and IgE synthesis, 604
Interleukin-5 production by $CD4^-CD8^-$ T cells in lungs of *Toxocara canis*-infected athymic nude mice, 285
Interleukin-10:
  and salmonellosis, 381
  effects on human blood monocytes, 311
Interleukin-10 and interleukin-3, synergy and T-cell activation, 351

L-selectin gene:
  post-transcriptional regulation, 198
Langerhans' cells, epidermal:
  in vitro infection with human immunodeficiency virus-1, 94
Leishmania vaccine:
  orally delivered, 1
LFA-1 epitope:
  on *Plasmodium falciparum*-infected erythrocytes, 205

Listeria infection:
interaction of interleukin-6, tumour necrosis factor and interleukin-1, 562
Lymphocyte proliferation and interleukin-2 production, bovine:
effect of hypodermin A, 160
Lymphocyte recognition elements:
on VP1 of Theiler's virus, 190
Lymphokine-activated killer cell activity, induced by interleukin-2:
role of tyrosine kinase, 325

Macrophages, rat thymic:
ontogeny of, 99
Mannose binding protein:
in transgenic mice, 153
Mannose binding protein, human:
physicochemical characteristics, 660
Mycobacteria:
recognition by human double negative $\alpha\beta^+$ T-cell receptor T cells, 33
Mycobacterium tuberculosis, vaccination against:
with culture filtrate protein antigens, 502

Natural killer cell activation:
and apoptosis, 638
Natural killer cells:
role in generation of anti-tumour cytotoxic T lymphocytes, 338
Natural killer cells, apoptosis:
role of interleukin-2, interleukin-7 and interleukin-12, 331
Nitric oxide synthesis, interferon-γ-induced:
increased by down-regulation of transforming growth factor-β gene expression, 114

Peptide analogues:
effect on antigen recognition and ThO function, 447
Polymorpholeucocyte migration:
dependence on adhesion molecules, 485
Protectin (CD59) shedding and enrichment into milk fat globules, 495
Protein kinase C, isoforms:
in $CD45RA^+$ and $CD45RO^+$, 299

Respiratory syncytial virus infection:
cytokine release following, 364

Self-tolerance, breakdown:
by infection of a T-cell line, 270
Staphylococcal enterotoxin, activation of T-cells:
role of synovial fibroblasts, 461

T cells:
in major histocompatibility complex class II-deficient mice, 442
T-cell determinants, naturally processed:
following antigen pulsing of B-cell lines, 523
T-cell receptor $\alpha\beta$-deficient mutant mice:
immune responses, 531
T-cell recognition, HLA-DR1 restricted:
effect of sequence changes on, 176
$\alpha\beta$ T-cell receptor transgenic mice, different responses in:
induced by superantigens and conventional antigens, 57
Thymectomy, neonatal:
$\gamma\delta$ T-cell receptor-positive and $CD2^+$ T-cell subset changes in the pig, 276
Toxoplasma, cyst burden and encephalitis:
identification of resistance gene, 419
Transforming growth factor-β:
priming for nitric oxide-dependent cytotoxicity, 400
Tumour necrosis factor-α:
adhesive properties, 125
Tyrosine phosphorylation:
and polymophonuclear leucocyte activation, 304
role in T-cell activation and apoptosis, 550

Zinc deficiency:
depletion of marrow B cells, 69